# MATERIAL SAFETY DATA SHEET

Sika

Page 1 of 4

# Sikawrap Hex 107G

1. Product And Company Identification

Supplier
SIKA CORPORATION
201 Polito Ave

Lyndhurst, NJ 07071

Company Contact: Kristin Kelley Telephone Number: (201) 933-8800 FAX Number: (201) 933-9379 Web Site: www.sikausa.com

Supplier Emergency Contacts & Phone Number

CHEMTREC: 800-424-9300 INTERNATIONAL: 703-527-3887 Manufacturer Emergency Contacts & Phone Number

None Given

Manufacturer

None Given

**Issue Date:** 05/28/1999

**Product Name:** Sikawrap Hex 107G **CAS Number:** Not Established

Chemical Family: Stitch-bonded heat-set fiberglass fabric

MSDS Number: 2064

Product Code: H39107 (SMALL), H40107 (LARGE)

### 2. Composition/Information On Ingredients

Ingredient	CAS	Percent Of
Name	Number	Total Weight
Fiberglass, synthetic vitreous fibers	65997-17-3	
Poly(terephthaloylchloride/p-phenylenediamine)	26125-61-1	

### 3. Hazards Identification

## Primary Routes(s) Of Entry

EYES - YES SKIN CONTACT - YES INHALATION - YES INGESTION - NO

### **Eve Hazards**

MAY BE A MECHANICAL EYE IRRITANT.

### **Skin Hazards**

MAY CAUSE MECHANICAL IRRITATION TO THE SKIN AND POSSIBLE DERMITITIS.

## **Ingestion Hazards**

VERY UNLIKELY. IF LARGE AMOUNT IS SWALLOWED SEEK MEDICAL ATTENTION.

### **Inhalation Hazards**

MAY CAUSE MECHANICAL IRRITATION TO THE UPPER RESPIRATORY TRACT.

### Chronic/Carcinogenicity Effects

NONE OF THE COMPONENTS PRESENT IN THIS MATERIAL AT CONCENTRATIONS EQUAL TO OR GREATER THAN 0.1% ARE LISTED OR REGULATED BY NTP, OSHA, OR ACGIH AS A CARCINOGEN. IARC LISTS GLASS FILAMENT AS A GROUP 3 (HUMAN CARCINOGENICITY NOT DETERMINED).

### **Conditions Aggravated By Exposure**

PERSONS WITH CHRONIC RESPIRATORY OR SKIN CONDITIONS THAT ARE AGGAVATED BY IRRATANTS MAY BE AT INCREASED RISK FROM EXPOSURE TO THIS PRODUCT.

# Sikawrap Hex 107G

### 4. First Aid Measures

### Eye

RINSE EYES THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES. CONSULT PHYSICIAN.

### Skin

WASH AFFECTED AREA WITH SOAP AND WATER. USE A WASH CLOTH TO HELP REMOVE THE FIBERS. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

### Ingestion

IF SWALLOWED, GET MEDICAL ATTENTION IMMEDIATELY.

### Inhalation

REMOVE TO FRESH AIR AND SUPPORT BREATHING AS NECESSARY. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST.

## 5. Fire Fighting Measures

Flash Point: N/AV °F

## Fire And Explosion Hazards

AVOID EXPOSURE THROUGH USE OF A SELF-CONTAINED, POSITIVE PRESSURE BREATHING APPARATUS.

### **Extinguishing Media**

WATER, DRY CHEMICAL, CO2

### **Fire Fighting Instructions**

WEAR NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR, AS FOR SURROUNDING FIRE.

### 6. Accidental Release Measures

AVOID CONTACT WITH SKIN, EYES, OR CLOTHING. CLEAN UP MATERIAL, PUT INTO SUITABLE CONTAINER AND DISPOSE OF PROPERLY.

## 7. Handling And Storage

### **Handling And Storage Precautions**

STORE IN A COOL, DRY AREA. MAINTAIN SEALED AGAINST CONTAMINATION FROM DIRT AND MOISTURE.

### 8. Exposure Controls/Personal Protection

### **Engineering Controls**

VENTILATION - USE LOCAL EXHAUST SUFFICIENT TO CONTROL FIBERS OR DUST GENERATED. IF EXHAUST VENTILATION IS NOT AVAILABLE OR IS INADEQUATE, USE NIOSH APPROVED DUST RESPIRATOR.

### **Eye/Face Protection**

AVOID EYE CONTACT. WEAR SAFETY GLASSES/GOGGLES AS NECESSARY TO PREVENT IRRITATION.

### Skin Protection

WEAR PROTECTIVE CLOTHING SUCH AS LOOSE FITTING CLOTHING, LONG SLEEVED SHIRT THAT COVERS TO THE BASE OF THE NECK. LONG PANTS AND GLOVES AS NECESSARY TO PREVENT IRRITATION. SKIN IRRITATION IS KNOWN TO OCCUR PRIMARILY AT PRESSURE POINTS SUCH AS AROUND NECK, WRIST, WAIST, AND BETWEEN FINGERS.

### **Respiratory Protection**

NONE REQUIRED FOR NORMAL USE. IF SUFFICIENT DUST OR FIBERS ARE GENERATED DURING USE OF THE PRODUCT, USE NIOSH APPROVED DUST RESPIRATOR.

# Sikawrap Hex 107G

## 8. Exposure Controls/Personal Protection - Continued

## Other/General Protection

WASH THOROUGHLY AFTER HANDLING. USE VACUUM EQUIPMENT TO REMOVE FIBERS AND DUST FROM CLOTHING AND WORK AREAS. COMPRESSED AIR IS NOT RECOMMENDED.

### Ingredient(s) - Exposure Limits

Fiberglass, synthetic vitreous fibers
OSHA PEL: 15 mg/m3 (TOTAL)
: 5 mg/m3 (RESP DUST)
ACGIH TLV: 1 f/cc (TOTAL)
: 5 mg/m3 (RESP DUST)

Poly(terephthaloylchloride/p-phenylenediamine)

OSHA PEL: 15 mg/m3 total dust 5 mg/m3 resp dust ACGIH TLV: 15 mg/m3 total dust 5 mg/m3 resp dust

## 9. Physical And Chemical Properties

### **Appearance**

WHITE FIBERS WOVEN INTO FABRICS OF VARYING WEIGHT, WIDTH, AND THICKNESS.

### **Odor**

NO DISTINCTIVE ODOR.

Chemical Type: Pure

Melting Point: 1292 °F 700 °C

Specific Gravity: 2.60 Molecular Weight: 0.00 Percent VOCs: 0.00 Vapor Pressure: N/AV Vapor Density: N/AV

pH Factor: NOT DETERMINED

Solubility: INSOLUBLE

## 10. Stability And Reactivity

Stability: STABLE

Hazardous Polymerization: WILL NOT OCCUR

## **Conditions To Avoid (Stability)**

RAPID HEATING OF THE PRODUCT IN BULK MAY PRODUCE AN UNCONTROLLED EXOTHERMIC REACTION WHICH MAY CHAR AND DECOMPOSE GENERATING UNIDENTIFIED GASES AND VAPORSWHICH MAY BE TOXIC. AVOID INHALATION.

### **Incompatible Materials**

NONE KNOWN

### **Hazardous Decomposition Products**

CO, CO2, WATER, AND OTHER TOXIC GASES.

## 11. Toxicological Information

LETHAL DOSES NOT DETERMINED

MECHNAICAL IRRITATION POSSIBLE

# Sikawrap Hex 107G

## 12. Ecological Information

NO ECOLOGICAL DATA HAS BEEN DETERMINED.

## 13. Disposal Considerations

DISPOSE IN ACCORDANCE WITH FEDERAL, STATE & LOCAL ENVIRONMENTAL REGULATIONS.

## 14. Transport Information

## **Proper Shipping Name**

NOT REGULATED BY D.O.T.

## 15. Regulatory Information

## **SARA Hazard Classes**

Acute Health Hazard

### **SARA Section 313 Notification**

NONE

## **Canadian Regulatory Information**

NONE

### 16. Other Information

## HMIS Rating Health: 1 Fire: 0 Reactivity: 0

PPE: B

### **Disclaimer**

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other materialor in any process. The information set forth herein is based on technical da ta that Sika believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no warranties, express or implied andassume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to i nfringe any patents.

## SIKA CORPORATION

Printed Using MSDS Generator™ 2000