Material Safety Data Sheet Date last reviewed: September 17, 2010

I. General Information								
Chemical Name & Synonyms Acetic Acid Solution	Trade Name & Synonyms Peel Away Neutralizer							
Chemical Family	Formula							
Organic Acid	$CH_3 COOH - H_2O$							
Proper DOT Shipping Name	DOT Hazard Classification							
Containers 1 gal. (4 L) or smaller: ORN	Class 8, PG III (Corrosive Material)							
Containers larger than 1 gal. (4 L): Ace Solution, 8, UN2790, PG III								
Manufacturer	Manufacturer's Phone Number							
Dumond Chemicals, Inc.	(609) 655-7700							
Address 104 Interchange Plaza, Suit Monroe Township, NJ 0833	Emergency Number: (800) 656-5053							
II. Ingredients								
Principal Hazardous Components	CAS #	Percent	PEL		TLV			
Acetic Acid 80%	64-19-7	30	10 ppm TWA		10 ppm TWA			
	7732-18-5	70	None Establis		15 ppm STEL None Established			
Water	1152-10-3	10						
III. Physical Data								
Boiling Point (°F)	Specific Gravity (H ₂ 0 =1)							
224	1.04							
Vapor Pressure (mm Hg) 11.8	Percent Volatile by Volume (%) 100%							
Vapor Density (Air=1)	Evaporation Rate (Butyl Acetate =1)							
2.07 (acetic acid)	0.97 (acetic acid)							
Solubility in Water	pH							
Complete	approximately 3.0							
Appearance & Odor								
Clear liquid with a characteristic odor of vinegar.								
IV. Fire & Explosion Hazard Data								
Flash Point (Test Method	Autoignition Temperature							
None	Not applicable							
Flammable Limits				UEL				
Extinguishing Media		N/A		N/A				
0 0	Use media	appropria	te for the sur	rounding	fire			
This material is not combustible. Use media appropriate for the surrounding fire. Special Fire Fighting Procedures								
Wear full emergency equipment and NIOSH approved positive pressure SCBA. Cool fire exposed containers with water.								
Unusual Fire & Explosion Hazards								
At elevated temperatures containers may rupture.								
HMIS Ratings Health: 3 Flammability: 0 Reactivity: 0								
The flatings The flatings The flatings The flating the								

V. Health Hazard Data								
OSHA Permissible Exposure Limit				ACGIH Threshold Limit Value				
See Section II Carcinogen - NTP Progra	m			See Section II Carcinogen - IARC				
No				No				
Symptoms of Exposure								
Inhalation: Mists and vapo	<u>Acute Effects</u> : Eyes: Vapors may cause irritation. Liquid may cause severe burns. Skin: May cause irritation. Inhalation: Mists and vapors may cause irritation to the eyes, mucous membranes and upper respiratory tract.							
Ingestion: May cause gastrointestinal burns, vomiting, diarrhea, headache and abdominal pain. Chronic Effects: Prolonged or repeated skin contact may cause dermatitis or burns.								
Medical Conditions Aggravated By Exposure:								
Individuals with chronic respiratory or skin diseases may be at risk from exposure.								
Primary Route(s) of Entry Eye, skin, ingestion								
Eye, skin, ingestion Emergency First Aid								
Eye: Flush with water for 15 minutes. Get immediate medical attention. Skin: Wash thoroughly w/soap & water. Remove								
contaminated clothing. Get medical attention for irritation. Inhalation: Remove to fresh air. Get medical attention. Ingestion: If conscious, give 2 glasses of water. Do not induce vomiting. Get immediate medical attention.								
IV. Reactivity Data								
Stability	x	Unstable Stable		tions to Avoid				
X Stable N/A								
Strong alkalies, strong oxidizers or reducing agents.								
Hazardous Polymerization	х	May Occur Will Not Occur	Condi	tions to Avoid				
Hazardous Decomposition	Hazardous Decomposition							
Carbon monoxide and carbon dioxide.								
VII. Environmental Protection Procedures								
Spill Response								
Wear appropriate protective clothing. Neutralize with baking soda. Collect into closable containers. Flush spill area with water. Prevent runoff from entering sewers or waterways. Report spills as required.								
Waste Disposal Method								
Dispose of in accordance with all state, local and federal regulations.								
VIII. Special Protection Information								
Eye Protection Skin Protection								
Chemical safety goggles/Faceshield Respiratory Protection (Specific Type)				Rubber or neoprene gloves Ventilation Recommended				
If exposure limit is exceeded, wear an organic vapol G								
respirator or SCBA. are exceeded, local exhaust may be required.								
Other Protection Impervious apron, boots, safety shower, eye wash as needed.								
IX. Special Precautions								
Hygienic Practices in Handling & Storage Store in a cool, well ventilated area away from oxidizers and other incompatible substances.								
Work Practices								
Prevent eye and skin contact. Avoid breathing vapors. Use only with adequate ventilation and appropriate equipment.								
Other Precautions								
Wash thoroughly after u	use.	Empty containers	s retair	residues and may be hazardous.				