LATICRETE

SAFETY DATA SHEET

1. Identification

Product identifier FGS Concrete Conditioner

Other means of identification None.

Recommended use Concrete cleaner.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company Name LATICRETE International

Address 1 Laticrete Park, N

Bethany, CT 06524

Telephone (203)-393-0010

Contact person Steve Fine

Website www.laticrete.com

Emergency phone number Call CHEMTREC day or night

USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 1
Carcinogenicity Category 2

Specific target organ toxicity, repeated Category 2 (Kidney, liver)

exposure

OSHA defined hazards Not classified.

Label elements





Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage. Suspected of causing cancer. May cause

damage to organs (Kidney, liver) through prolonged or repeated exposure.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Obtain special instructions before

use. Do not handle until all safety precautions have been read and understood. Wear protective

gloves/protective clothing/eye protection/face protection.

Response If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take

off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

call a poison center/doctor. If exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

FGS Concrete Conditioner SDS US

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
4-Dodecylbenzenesulfonic acid	121-65-3	5 - 10
Alcohol C11, ethoxylated	127036-24-2	1 - 5
Diethanolamine	111-42-2	1 - 5

4. First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Remove contaminated clothing and wash skin with soap and water. Get medical attention if Skin contact

irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

delayed

Permanent eye damage including blindness could result. Irritant effects. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to **General information**

protect themselves. If exposed or concerned: get medical attention/advice.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS. Environmental manager must be informed of all releases.

Environmental precautions

7. Handling and storage Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing mist or vapor. Do not handle until all safety precautions have been read and understood. Provide adequate ventilation. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a well-ventilated place. Store away from incompatible materials.

FGS Concrete Conditioner SDS US

8. Exposure controls/personal protection

Occupational exposure limits

ACGIH

Components	Туре	Value	Form
Diethanolamine (CAS	STEL	0.2 ppm	Inhalable fraction and
111-42-2)			vapor.

US. ACGIH Threshold Limit Values

Components **Form Type** Value TWA Diethanolamine (CAS 1 mg/m3 Inhalable fraction and 111-42-2) vapor.

US. NIOSH: Pocket Guide to Chemical Hazards

Components **Type** Value TWA Diethanolamine (CAS 15 mg/m3 111-42-2) 3 ppm

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Exposure guidelines

US - California OELs: Skin designation

Diethanolamine (CAS 111-42-2) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Diethanolamine (CAS 111-42-2) Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance Medium blue liquid.

Liquid. Physical state **Form** Liquid. Color Medium blue. Odor Cherry **Odor threshold** Not available. 8 - 9

Melting point/freezing point Not applicable.

Initial boiling point and boiling

212 °F (100 °C)

range

Not available. Flash point Not applicable. **Evaporation rate** Flammability (solid, gas) Not available.

FGS Concrete Conditioner

928485 Version #: 01 Revision date: -Issue date: 24-June-2015 3/7

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Not applicable. Vapor pressure Not applicable. Vapor density

Relative density 1.05

Solubility(ies)

Soluble in water. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity**

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization will not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Strong oxidizing agents. Incompatible materials

Hazardous decomposition

products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide. Nitrogen oxides.

11. Toxicological information

Information on likely routes of exposure

In high concentrations, vapors may be irritating to the respiratory system. Inhalation

Irritating to skin. Skin contact

Causes serious eye damage. Eye contact

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Permanent eye damage including blindness could result. Irritant effects.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Components **Species Test Results**

Alcohol C11, ethoxylated (CAS 127036-24-2)

Acute Oral

LD50 Rat 1400 mg/kg

Diethanolamine (CAS 111-42-2)

Acute Dermal

LD50 Rabbit 11.9 ml/kg

Oral

LD50 Rat 710 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye Causes serious eye damage.

irritation

Respiratory or skin sensitization

No data available. Respiratory sensitization

FGS Concrete Conditioner

928485 Version #: 01 Revision date: -Issue date: 24-June-2015 4/7

Skin sensitization No data available.

Germ cell mutagenicity No data available.

Carcinogenicity Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Diethanolamine (CAS 111-42-2) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

No data available.

single exposure

Specific target organ toxicity -

repeated exposure

May cause damage to organs (Kidney, liver) through prolonged or repeated exposure.

Aspiration hazard No data available.

Chronic effects Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity

ComponentsSpeciesTest ResultsDiethanolamine (CAS 111-42-2)AquaticCrustaceaEC50Water flea (Ceriodaphnia dubia)61.8 - 86.04 mg/l, 48 hoursFishLC50Fathead minnow (Pimephales promelas)>= 100 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potentialNo data available for this product.

Partition coefficient n-octanol / water (log Kow)

Diethanolamine (CAS 111-42-2) -1.43

Mobility in soil Not available.

Mobility in general The product is soluble in water.

Other adverse effects The product contains a substance which is harmful to aquatic organisms.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

5/7

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78 and

the IBC Code

FGS Concrete Conditioner SDS US

928485 Version #: 01 Revision date: - Issue date: 24-June-2015

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

4-Dodecylbenzenesulfonic acid (CAS 121-65-3) LISTED Diethanolamine (CAS 111-42-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes Delayed Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Diethanolamine	111-42-2	1 - 5	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Diethanolamine (CAS 111-42-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations WARNING: This product contains chemical(s) known to the State of California to cause cancer.

US. Massachusetts RTK - Substance List

4-Dodecylbenzenesulfonic acid (CAS 121-65-3)

Diethanolamine (CAS 111-42-2)

US. New Jersey Worker and Community Right-to-Know Act

4-Dodecylbenzenesulfonic acid (CAS 121-65-3)

Diethanolamine (CAS 111-42-2)

US. Pennsylvania Worker and Community Right-to-Know Law

4-Dodecylbenzenesulfonic acid (CAS 121-65-3)

Diethanolamine (CAS 111-42-2)

US. Rhode Island RTK

4-Dodecylbenzenesulfonic acid (CAS 121-65-3)

Diethanolamine (CAS 111-42-2)

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Diethanolamine (CAS 111-42-2)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No

FGS Concrete Conditioner SDS US

Country(s) or region Inventory name On inventory (yes/no)*

Japan Inventory of Existing and New Chemical Substances (ENCS) No

Korea Existing Chemicals List (ECL) Yes

New ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesYes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 24-June-2015

Revision date - Version # 01

NFPA ratings



References HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS)

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

FGS Concrete Conditioner SDS US